



TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 1 of 15

Applicant Company Name: Beijing StrongLink Technology Co.,Ltd.

Applicant Company Address: Building C No.39 Xi erqi strrrt Haiding district Beijing 100085 China.

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name : MIRARE MODULE
 Model No. : SL040
 Sample Receiving Date : September 11, 2020
 Testing Period : From September 11, 2020 to September 18, 2020
 Results : Please refer to next page(s).

Summary of Test Results:

TEST REQUEST

A EU RoHS Directive 2011/65/EU and its amendment directives2015/863/EU (**RoHS 2.0**)

CONCLUSION

Pass

Shenzhen Deesev Testing International Corp

Approved by: Tommy Jiang
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 8座9楼
Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 2 of 15

Results:

1、EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

| Seq. No. | Tested Part(s) | Results | | | | |
|----------|-------------------------------------|---------|----|----|----|----|
| | | Pb | Cd | Hg | Cr | Br |
| 1 | Solder Point | BL | BL | BL | BL | BL |
| 2 | PCB | BL | BL | BL | BL | X |
| 3 | White Printing | BL | BL | BL | BL | BL |
| 4 | Black Ceramic Body Chip | BL | BL | BL | BL | BL |
| 5 | Crystal Oscillator | BL | BL | BL | BL | BL |
| 6 | Yellow Chip Capacitor | BL | BL | BL | BL | BL |
| 7 | Patch Resistor | BL | BL | BL | BL | BL |
| 8 | Multiplayer Ceramic Chip Capacitors | BL | BL | BL | BL | BL |
| 9 | Patch LED | BL | BL | BL | BL | BL |
| 10 | Triode | BL | BL | BL | BL | BL |
| 11 | Patch Resistor | BL | BL | BL | BL | BL |
| 12 | Multiplayer Ceramic Chip Capacitors | BL | BL | BL | BL | BL |
| 13 | SMD Components | BL | BL | BL | BL | BL |
| 14 | Yellow Plastic Sticker | BL | BL | BL | BL | BL |
| 15 | Silver Metal Case | BL | BL | BL | BL | BL |
| 16 | Black Plastic | BL | BL | BL | BL | BL |
| 17 | Gold Metal Needle | BL | BL | BL | BL | BL |
| 18 | Black Pouring Glue | BL | BL | BL | BL | BL |
| 19 | Black Pouring Glue | BL | BL | BL | BL | BL |
| 20 | Red Plastic Case | BL | BL | BL | BL | X |



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Bao'an, Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 8座9楼
Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 3 of 15

| Seq. No. | Tested Part(s) | Results | | | | |
|----------|----------------------------|---------|----|----|----|----|
| | | Pb | Cd | Hg | Cr | Br |
| 21 | White Plastic Button | BL | BL | BL | BL | BL |
| 22 | Black Plastic Base | BL | BL | BL | BL | X |
| 23 | Gold Metal Needle | BL | BL | BL | BL | BL |
| 24 | Black Plastic Shell | BL | BL | BL | BL | X |
| 25 | Black Magnetic Ring | BL | BL | BL | BL | BL |
| 26 | Silver Metal Sheet | BL | BL | BL | BL | BL |
| 27 | Silver Metal Sheet (Micro) | BL | BL | BL | BL | BL |
| 28 | Copper Winding | BL | BL | BL | BL | BL |
| 29 | Silver Metal Pedestal | BL | BL | BL | BL | BL |
| 30 | White Viscose | BL | BL | BL | BL | BL |
| 31 | PCB | BL | BL | BL | BL | X |
| 32 | Solder Point | BL | BL | BL | BL | BL |
| 33 | Triode | BL | BL | BL | BL | BL |
| 34 | Patch Resistor | BL | BL | BL | BL | BL |



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
 深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 4 of 15

Remark:

- (1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

| Element | Unit | Non-metal | Metal | Composite Material |
|---------|-------|--|--|--|
| Cd | mg/kg | $BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$ | $BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$ | $BL \leq 50 - 3\sigma < X < 150 + 3\sigma \leq OL$ |
| Pb | mg/kg | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$ |
| Hg | mg/kg | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$ | $BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$ |
| Cr | mg/kg | $BL \leq 700 - 3\sigma < X$ | $BL \leq 700 - 3\sigma < X$ | $BL \leq 500 - 3\sigma < X$ |
| Br | mg/kg | $BL \leq 300 - 3\sigma < X$ | -- | $BL \leq 250 - 3\sigma < X$ |

Note:

- BL = Below Limit
 OL = Over Limit
 X = Inconclusive

- (2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
 深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Bao'an, Shenzhen, Guangdong, China
 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 8座9楼
 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 5 of 15

(3) The maximum permissible limit is quoted from the document 2011/65/EU and its amendment directives 2015/863/EU:

| RoHS Restricted Substances | Maximum Concentration Value (mg/kg) (by weight in homogenous materials) |
|---------------------------------------|--|
| Cadmium (Cd) | ≤100 |
| Lead (Pb) | ≤1000 |
| Mercury (Hg) | ≤1000 |
| Hexavalent Chromium (Cr(VI)) | ≤1000 |
| Polybrominated biphenyls (PBBs) | ≤1000 |
| Polybrominate ddiphenylethers (PBDEs) | ≤1000 |



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 6 of 15

2. The Test Results of Chemical Method:

Test method:

Lead, Cadmium, Mercury Content:

With reference to IEC 62321-5:2013 and IEC62321-4:2013+AMD1:2017, by acid digestion and analysis was performed by Inductively Coupled Plasma- Atomic Emission Spectrophotometer (ICP-AES)

Hexavalent Chromium Content (For metal material):

With reference to IEC 62321-7-1:2015, by boiling-water-extraction and analysis was performed by UV-visible spectrophotometer (UV-Vis)

Hexavalent Chromium Content (For non-metal material):

With reference to IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic/mass spectrometer (GC-MS)

DEHP, BBP, DBP&.DIBP content:

With reference to IEC 62321-8:2017 by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Bao'an, Shenzhen, Guangdong, China
中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 7 of 15

1) The test results of PBBs & PBDEs

| Item | Unit | MDL | Results | | | | | Limit |
|--|-------|-----|-------------|-------------|-------------|-------------|-------------|-------|
| | | | 2 | 20 | 22 | 24 | 31 | |
| Polybrominated Biphenyls (PBBs) | | | | | | | | |
| Monobromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Dibromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Tribromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Tetrabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Pentabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Hexabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Heptabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Octabromobiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Nonabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Decabromodiphenyl | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Total content | mg/kg | / | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Polybrominated Diphenylethers (PBDEs)(Mon-Deca) | | | | | | | | |
| Monobromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Dibromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Tribromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Tetrabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Pentabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Hexabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Heptabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Octabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Nonabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Decabromodiphenyl ether | mg/kg | 5 | N.D. | N.D. | N.D. | N.D. | N.D. | / |
| Total content | mg/kg | / | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Conclusion | / | / | Pass | Pass | Pass | Pass | Pass | / |

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
 深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Bao'an, Shenzhen, Guangdong, China
 中国广东省深圳市宝安区福海路8号飞扬科技园B座9楼
 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 8 of 15

2) The test results of DEHP, BBP, DBP & DIBP

| Item | Unit | MDL | Results | | | | | Limit |
|----------------------------------|-------|-----|-------------|-------------|-------------|-------------|-------------|-------|
| | | | 2 | 3 | 4 | 6 | 7 | |
| Di-2-ethylhexyl phthalate (DEHP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Benzyl-n-butyl phthalate (BBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Di-n-butyl phthalate (DBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Di-iso-butyl phthalate (DIBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Conclusion | / | / | Pass | Pass | Pass | Pass | Pass | / |

| Item | Unit | MDL | Results | | | | | Limit |
|----------------------------------|-------|-----|-------------|-------------|-------------|-------------|-------------|-------|
| | | | 8 | 9 | 10 | 11 | 12 | |
| Di-2-ethylhexyl phthalate (DEHP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Benzyl-n-butyl phthalate (BBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Di-n-butyl phthalate (DBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Di-iso-butyl phthalate (DIBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Conclusion | / | / | Pass | Pass | Pass | Pass | Pass | / |

| Item | Unit | MDL | Results | | | | | Limit |
|----------------------------------|-------|-----|-------------|-------------|-------------|-------------|-------------|-------|
| | | | 13 | 14 | 16 | 18 | 19 | |
| Di-2-ethylhexyl phthalate (DEHP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Benzyl-n-butyl phthalate (BBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Di-n-butyl phthalate (DBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Di-iso-butyl phthalate (DIBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Conclusion | / | / | Pass | Pass | Pass | Pass | Pass | / |



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
 深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Bao'an, Shenzhen, Guangdong, China
 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼
 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 9 of 15

| Item | Unit | MDL | Results | | | | | Limit |
|----------------------------------|-------|-----|-------------|-------------|-------------|-------------|-------------|-------|
| | | | 20 | 21 | 22 | 24 | 25 | |
| Di-2-ethylhexyl phthalate (DEHP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Benzyl-n-butyl phthalate (BBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Di-n-butyl phthalate (DBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Di-iso-butyl phthalate (DIBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Conclusion | / | / | Pass | Pass | Pass | Pass | Pass | / |

| Item | Unit | MDL | Results | | | | Limit |
|----------------------------------|-------|-----|-------------|-------------|-------------|-------------|-------|
| | | | 30 | 31 | 33 | 34 | |
| Di-2-ethylhexyl phthalate (DEHP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Benzyl-n-butyl phthalate (BBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Di-n-butyl phthalate (DBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Di-iso-butyl phthalate (DIBP) | mg/kg | 30 | N.D. | N.D. | N.D. | N.D. | ≤1000 |
| Conclusion | / | / | Pass | Pass | Pass | Pass | / |

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit
- Flow chart appendix is included.
- Photo appendix is included.



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
 深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
 中国广东省深圳市宝安区隆昌路8号飞扬科技园B座9楼
 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18


Page 10 of 15

Appendix I


Test Flow chart

1. Test Flowchart for Cd / Pb /Hg content

These samples were dissolved totally by pre-conditioning method according to below flow chart.



2. Test Flowchart for Cr⁶⁺ content (Metal material)





This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Bao'an, Shenzhen, Guangdong, China
中国广东省深圳市宝安区福海路8号飞扬科技园B座9楼
Tel: +86-0755-32936716, E-mail: DTI@deesev.cn




TEST REPORT

REPORT No.: **DTIBW20200848**


Date: 2020-09-18

Page 11 of 15


3. Test Flowchart for Cr⁶⁺ content (Non-metal material)



4. Test Flowchart for PBBs & PBDEs content



5. Test Flowchart for DEHP, BBP, DBP & DIBP content





This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 12 of 15

Table:

| | |
|------------------------------------|---|
| Sample material | Digestion Acid |
| Steel, copper, aluminum, solder | Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂ |
| Glass | HNO ₃ /HF |
| Gold, platinum, palladium, ceramic | Aqua regia |
| Silver | HNO ₃ |
| Plastic | H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl |
| Others | Any acid to total digestion |



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
 深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China
 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 8座9楼
 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn

TEST REPORT


REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 13 of 15

Appendix II

Photograph of Sample





This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 14 of 15





This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.






TEST REPORT

REPORT No.: **DTIBW20200848**

Date: 2020-09-18

Page 15 of 15



*** End of Report ***



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Shenzhen Deesev Testing International Corp.
深圳市德泽威技术检测有限公司

9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd. No.8, Bao'an, Shenzhen, Guangdong, China
中国广东省深圳市宝安区隆昌路8号飞扬科技园B座9楼
Tel: +86-0755-32936716, E-mail: DTI@deesev.cn